Datatagger®

Label Printing System for Windows

Installation Instructions And User Guide

Version 20 for the Datamax printer



Presented by ID Solutions Division Arch Crown, Inc. 2023

TABLE OF CONTENTS

INSTALLING YOUR DATAMAX PRINTER	3
INSTALLING THE DATATAGGER SOFTWARE	6
USING THE SOFTWARE	13
USING EXCEL IMPORT FEATURE	19
TROUBLESHOOTING AND TECHNICAL SUPPORT	21
APPENDIX A: MAXIMUM FIELD LENGTHS	23

NOTE: Most installation problems can be solved by referring to the Troubleshooting Section of this Manual, on page 21.

VERY IMPORTANT: <u>Install your Printer</u> <u>FIRST</u> by following the instructions starting on page 3. The Datatagger software will not print tags until the printer is correctly set up.

Printer Installation

Your new Datamax E-Class printer should auto-install after you connect the printer to the computer. If not, simply click on this link: <u>https://www.seagullscientific.com/downloads/printer-drivers/datamax-oneil-e-4205a-mark-iii/</u>

- 1. Be sure your printer is connected to your computer using the included USB Cable
- 2. Turn the printer on. Check to see if your computer downloaded the driver on its own by going into your control panel > view devices and printers > printers and scanners. If the name of the printer is NOT listed, then proceed to step #3. If the name of the printer IS there, proceed to step #11.
- 3. If you see a 'found new hardware' message on your computer screen, you can ignore and/or close it.
- 4. When the following screen opens, click on the arrow in the lower right corner



5. Choose Basic and Advanced Models, then Click "Install Driver":



6. If prompted, Accept the License Agreement, and click the "Next" button until the screen below left appears.

7. Click "Finish", and click "Install printer drivers" and "Next"



8. On the below left screen, select USB, and then click Next. If prompted, select "Datamax-O'Neil" and "Datamax-O'Neil E-4205A Mark III" as shown below right.

Seaguit Driver Wizard	CD 🛃	Seagull Driver W	/izard	
Connect Printer The printer should be connected before continuing installation.	I - I	Specify Printer Model The manufacturer and	model determine which printer driver to use.	L.
How is this printer going to be attached?	E-	Specify the model of your j	printer.	
USB USB Network (Ethernet or WiFi) Other (such as Parallel or Serial) Please connect your printer to the PC and turn it on. If the Add Hardware Wizard appears, please cancel it. This wizard will automatically advance when the printer is detected. If it does not advance, then check the connection and power cycle the printer.		Manufacturer Datamax Datamax-O'Neil Godex O'Neil	Printer Model Detamax-O'Neil E-42048 Mark III Detamax-O'Neil E-42058 Mark III Datamax-O'Neil E-42056 Mark III Datamax-O'Neil E-42056 Mark III Datamax-O'Neil E-43048 Mark III Datamax-O'Neil E-43048 Mark III Datamax-O'Neil E-4305 Mark III Datamax-O'Neil E-4305 Mark III Datamax-O'Neil E-4305 Mark III	•
<back ca<="" next="" td=""><td>ancel</td><td>Version: 7.3.4 M-0 (11/)</td><td>18/2013) < Back Next ></td><td>Cancel</td></back>	ancel	Version: 7.3.4 M-0 (11/)	18/2013) < Back Next >	Cancel



10. Once your Datamax printer is installed, open **Devices and Printers** in your Windows Control Panel, *right-click* on the Datamax E-4205A Mark III icon and select **Printing Preferences**, as shown below:



- 11. In Printing Preferences, click on the Page Setup tab, then click the **Advanced Options** button on the lower right side.
- 12. In Advanced Options, click the Passthrough tab, select "Generic/Text Only" mode, and select/check "Add CR/LF after each line".

Datamax-O'Neil E-4205A Mark III ? Page Setup Graphics Stock Options About Stock Name: August 200 august 200 august	Datamax-O'Neil E-4205A Mark III ?
New Edit Delete Preview Orientation Effects ALE Orientation Image Output Landscape Negative Optimit 180° Landscape 180° Image	Advanced Options * Printing Position User Commands Driver Options Passthrough Optional Passthrough Methods Optional Passthrough Methods One Optional Passthrough Methods Image: Starting Escaped text Starting Escape Sequence: Image: Starting Escape Sequence: Image: Starting Escape Sequence:
Preset Name: <default settings=""> Manage Advanced Options © 1998-2015 Seagull Scientific, Inc., Authors of the BarT ender® label software.</default>	Ending Escape Sequence: Options Add CR/LF after each line Several other methods are always available. Press Help for details. OK Cancel Apply Help

13. Click OK to finish.

Your printer is now installed and ready for use with the Datatagger® Label Printing System. Please proceed to the software installation instructions on page 6.

Datatagger Software Installation

The Datatagger Software installation files are available on the Arch Crown website Support page and must be downloaded prior to installation.

Make sure you exit all other programs on your computer before starting the installation.

- 1. Open your internet browser and navigate to <u>https://archcrown.com/support/</u>
- 2. Type the password "download" in the box under **Demos:** and click the **Log In** button.
- 3. Click on DataTagger Demo.

		Support		
				Q
Remote Support	Templates	Instructions	Printer Drivers	Technical Support Policy
	→ 	DataTagger Demo		
				Need Help? Click here and star chatting with us!

- 4. You'll be able to see the download progress at the bottom left of your screen.
- 5. When the file is finished downloading, click on 'Extract all', then click on 'extract'.
- 6. Double click on the DataTagger folder to open.

🔋 🛃 🚽		Extract	DataTagger (2)							
File Home	Share View	Compressed Folder Tools								
Documents pic of labels User	Pictures molded Sales Manager Extract To	Jessica Coins divorce	Extract all							
← → ✓ ↑ Is PC → Downloads → DataTagger (2)										
 Quick access Desktop Downloads Documents Pictures Coins Jessica molded 	Name Datat	agger	Type File folder	Compressed size	Password Size					

7. Double click on Runtime.

Name	lype	Compressed size	Passwo
Runtime	File folder		
🖻 Datatagger20	Microsoft Access Database	693 KB	No
🖻 Datatagger21	Microsoft Access Database	831 KB	No

8. Double click on ACCESSRT.

	^	Name	Туре	Compressed size	Passwo
;		👸 ACCESSRT <	Windows Installer Package	185 KB	No
		III MSOHELP	Application	43 KB	No
s		🗄 Office1	Cabinet File	32,488 KB	No
5					

9. Click install.

Туре		Compressed size	Password	Size	F	Ratio	Date modified
Windows I	🖟 Microsoft Acc	cess 2002 Runtime Setup			- [×	3/7/2001 4:38
Applicatio Cabinet Fil	Microsoft Ac Choose whe	ccess 2002 Runtime ere to install Office.				G g	2/13/2001 1:2 5/6/2010 12:3
	Install Ac	cess to: am Files (x86)\Microsoft Of bace on local hard disks:	fice\		Browse		
	Volume		Disk Size	Available	Re	equire	
	C: D:		916 GB 13 GB	816 GB 1684 MB		0 K 0 K	
	<					>	
	Help			Install		Cancel	

- 10. Double click on DataTagger20.
 11. Click Open.

Datatagger20 Microsoft Access Database 693 KB No 5,132 KB 87% 1 Datatagger21 Microsoft Accept Database 931 KB No 5,960 KB 96% 11	11/5/2021 12/14/202
Datatagger21 Microsoft Accer Database 021 KP No. 5 060 KP 069/ 1.	12/14/202
Open File - Security Warning	
Do you want to open this file? Image: Imag	

12. Click 'Enable Content' on the yellow bar.

13. Click 'Sav	e As' on	the yellow	bar.
----------------	----------	------------	------

	?· ℃· ▼						Ma	ain Menu - Access			
File	Home Cr	reate Exte	ernal Data	Database Tools He	lp 🔎	Tell me what	you want to d	0			
View	Paste 🗳 Fo	ut ppy rmat Painter	Filter Az	Ascending 🛛 🖓 Selection Descending 🖓 Advanced Remove Sort 🖓 Toggle Fil	Refresh ter All •	Rew New Constant Series	∑ Totals ^{abc} Spelling Ⅲ More ~	$ \begin{array}{c} & & & \downarrow \\ & & & \downarrow \\ & & & \downarrow \\ & & & \\ $	Size to Switch	B I U	
Views	Clipboa	ard 🔽		Sort & Filter		Records		Find	Window		
🕕 SEC	URITY WARNIN	IG Some activ	e content has	been disabled. Click for mo	re details.	Enable Conte	ent				
(i) REA	D-ONLY	This databa	ase has been o	pened read-only. You can o	nly change dat	ta in linked tab	es. To make des	ign changes, save a copy	of the database.	Save As	
With the second secon											
	Formats v	vith Text and	Barcodes	Forma	ts with Text (Only					
	TT306/369	TT307/304	TT359	TT306/369	TT307/304	TT359					
	TT360/380	TT361	TT364	TT360/380	TT361	TT364					
	TT366	TT367/368		TT366	TT367/368						
		Barbell Tags			Barbell Tags						
	TT302	TT305	TT340/341	TT302	TT305	TT340/341					
	TT344	TT345	TT348	TT344	TT345	TT348					
		TT370			TT370						
ane	Re	ctangular Lab	els	Re	ctangular Lab	els					
n Pa	TT313	TT315	TT316	TT313	TT314	TT315	Exit				
atio	TT317	TT385	TT2010	TT316	TT317	TT319	№				
avigi				TT324	TT385	TT2010	4				

14. Click Yes.

) ~ (² · ₹								Main Menu	- Access		
File	Home Ci	reate Exte	ernal Data	Database	Tools He	lp 🔎	Tell me wha	t you want to	o do			
View	Paste S Fo	ut opy ormat Painter	Filter 2	Ascending Descending Remove Sort	✓ Selection	Refresh	Rew New Constant	∑ Totals ♣ Spelling ~ ⊞ More ~	Find	Go To γ Go To γ Select γ	Size to	Sv Sv
Views	Clipbo	ard 🗔		Sort & Fil	lter		Record	is		Find	Wir	ndov
i REA	D-ONLY This of	database has be	een opened rea	ad-only. You	can only chang	je data in linke	d tables. To m	iake design ch	anges, save a	copy of the da	atabase.	Si
*	DataTagger Ver 20 ID Solutions Division, Arch Crown Inc., 2019											
	Formats v	vith Text and I	Barcodes		Forma	ats with Text (Only					
	TT306/369	TT307/304	TT359		TT306/369	TT307/304	TT359					
	TT360/380	TT361	TT364		TT360/380	TT361	TT364					
	TT366	TT367/368			TT366	TT367/368						
		Barbell Tags				Barbell Tags						
	TT302	TT305	TT340/341		TT302	TT305	TT240/241					
	TT344	TT345	TT348		TT344	TT345	Microsoft	Access				
		TT370				TT370	A	All open obje	cts must be c	losed before vo	ou save the o	datal
	Re	ctangular Lab	els		Re	ctangular Lab	el !	Do you want	Microsoft Ac	ers to close all	onen obiert	c7
ane	TT313	TT315	TT316		TT313	TT314		Do you want	MICLOSOIL AC		open object	
E E	TT317	TT385	TT2010		TT316	TT317			Yes	No		
atio					TT324	TT385	TT2010	dr.				
avig												

15. Save to My Documents.



16. Click 'Save'.

🔕 Save As	×
← → ∽ ↑ 🔤 ≪ Documents → My Documents	・ Cク Search My Documents
Organize 🔻 New folder	≣≡ ▾ (?)
This PC Name	Date modified Type Siz
Desktop	
Downloads	
Music	
Videos	
RECOVERY (D:)	
File name: Datatagger20	
Save as type: Microsoft Access Database	
∧ Hide Folders	Tools 🔻 Save Cancel

Your software is now installed and ready to use.

Creating a shortcut to your Desktop

- 1. Right click on the DataTagger folder in My Documents.
- 2. Click on 'Send to'

📙 🛛 🛃 🚽 🖌 My Documents File Share View Home > This PC > Documents > My Documents ← ¥ \mathbf{T} ^ ۸ Name Date modified Туре 📌 Quick access 1012022 2 27 DM 😰 Datatagger Microsoft Access 📃 Desktop * Open 🕹 Downloads * New Documents 🖈 **a** Share with Skype 📓 Scan selected items for viruses ह Pictures * 🖶 Shred using AVG Jessica 🖲 Carbonite > 📕 pic of labels 🖻 Share 📙 Sales Manager Open with... User Give access to > 💻 This PC No. Scan with Malwarebytes 🗊 3D Objects Restore previous versions 🚬 Desktop > Send to Documents Cut 🕹 Downloads Сору J Music Create shortcut ह Pictures Delete 📕 Camera Roll Rename Saved Pictures Properties Screenshots 📕 Videos 🏪 Windows (C:)

- 📊 🛛 🛃 🚽 🛛 My Documents File Home Share View ← > This PC > Documents > My Documents $\mathbf{\Lambda}$ ~ Date modified Size Туре Name 📌 Quick access 🔊 Data :04 PM 5,044 KB Microsoft Access ... 📃 Desktop * Open 🚽 Downloads New * Share with Skype Documents * 📓 Scan selected items for viruses ह Pictures A 🖶 Shred using AVG Jessica > Carbonite My Documents 🖻 Share pic of labels Open with... 📙 Sales Manager > Give access to 💻 This PC 🤝 Scan with Malwarebytes 🗊 3D Objects Restore previous versions 📃 Desktop Send to > 8 Bluetooth device Documents Compressed (zipped) folder 4 Cut 🚽 Downloads Desktop (create shortcut) Сору 🎝 Music Documents Create shortcut Nictures 🚎 Fax recipient Delete 📕 Videos 🖃 Mail recipient Rename 🏣 Windows (C:) DVD RW Drive (E:) Properties 🗙 general (\\192.168.125.2) (G:) RECOVERY (D:) general (\\192.168.1 Network
- 3. Left click on Desktop (create shortcut)

- 4. Close or minimize all opens windows.
- 5. Once you close or minimize all the open windows, your desktop appears. Look for your new desktop shortcut icon.

Using the Software

To start the Program, click Start \rightarrow Programs \rightarrow Datatagger for Windows \rightarrow Datatagger to bring up the Main Menu. Or click on the icon that should be on your Desktop.

E	Main N	vlenu - J	Access										
	Home	Create	Extern	al Data D	atabase Too	ls Help	ר ⊂, ⊂	ie what yo	ou want to do				
~	View	Paste	X Cur Co Co Co For	t py mat Painter	Filter A	↓ Ascending ↓ Descending Ø Remove Sort	✓ Selectio ✓ Advance ✓ Toggle F	n ~ ed ~ F Filter	Refresh X De	w /e lete ~	∑ Totals ^{abc} Spelling ∰ More ∽	Find	\$° ↑ ∆
lo	Views		Clipboa	rd I	R R R	Sort & Fi	lter		F	Records			Fine
	Arc	ch. own	~	L	ataTag Main Me	i ger nu		ID Arch	Ver 2 Solutions Division Crown Inc., 201	0 1, 9			
	Forma	ats with	Text and	Barcodes		Forma	ats with Text (Only					
	TT306/3	69 TT	ail Tags 307/304	TT359		TT306/369	TT307/304	TT359					
	TT360/3	80	TT361	TT364		TT360/380	тт361	TT364					
	TT366	5 ТТ	367/368			TT366	TT367/368						
		Bar	bell Tags				Barbell Tags						
	TT302	2	TT305	TT340/341		TT302	TT305	TT340/3	41				
	TT344	<u>ا</u>	TT345	TT348		TT344	TT345	TT348					
			TT370				TT370						
		Rectar	ıgular Lab	els		Re	ctangular Lab	els	_				
	TT313	3	TT315	TT316	_	TT313	TT314	TT315	Exit				
	TT317	7	TT385	TT2010		TT316	TT317	TT319	<u> </u>				
						TT324	TT385	TT201	0				

The Main Menu displays the different label formats available to print. The formats are listed with the label part number, e.g. TT306 to facilitate label selection.

To select a particular label format, click the appropriate button on the Main Menu to display the format screen.

The Label Format Screen

The Format Screen provides all the tools needed to enter, edit, save, and print labels.

	TT306	- Access							
ile	Home	Create	External D	ata Database 1	rools He	lp ,	♀ Tell me wha	at you want to do)
?~ ₹~	View	Paste	X Cut	Format name	Ascen A↓ Descen A♥ Remov	ding nding ve Sort	✓ Selection ~ ✓ Advanced ~ ✓ Toggle Filter	Ref Label inf A looku	ew ormation p list
Jhdo	TT3 Stock 1	106 - T	ail Tag	- 8 L Label sto	ock part #		Lookup		Large print option (where available)
	Item	Number		(required) Line 5 Line 6 Line 7			Print Qty	PRINT	
	Add I Bacl	Line 4 t Excel Da tem D c-up / Exp	ita Fix elete Item ort Data	Line 8	nary Tags	ltem Su	immary Report	Main Menu Q	
Back- your i can b sure y folder expor	up/Export info to a .C e opened in you have th r set up befort.	Data expor SV file, wh Excel. Ma e C:\datata ore you do	ts hich kke gXL the	Print Summary T print 1 of every la ever put into Data Do NOT click thi unless you want o EVERY label prin	ags will abel you aTagger. as button one of nted!		The Item Summa displays a report label informatior for the SELECTI LABEL FORMA report can be prin regular laser or in printer (See page	ary Report of all the n entered ED AT. This nted on a nk-jet e 15).	

Screen Features

- The upper left-hand corner of the screen displays the format name
- The label stock part number is displayed right below the format name
- The upper right-hand corner of the screen contains the label information look-up list
- The main part of the screen contains the fields for the label format selected, along with system function buttons such as Add and Delete Item, Print, Item Summary Report and Main Menu.

Entering Label Information

Before any labels can be printed, the label information must be entered into the system. It is not necessary to enter every item into the system at one time, only those items for which labels need to be printed. Once information for an item has been entered, it is automatically saved and can be printed immediately, or recalled for printing, editing, or deleting later if necessary.

To enter label information:

- 1. From the Main Menu, select the label format desired.
- 2. Enter the information to be printed in the fields displayed. Hitting ENTER or TAB on the keyboard moves the cursor to the next field.
- 3. When entering the information for the label, it is not necessary to enter a print qty unless the label is to be printed right away. **NOTE:** The print quantity is not saved with the rest of the label information.
- 4. When finished entering the information for a label, the information can either be printed immediately or saved for printing later. To **Save** the information, click the **Add Item** button. For more information on **Printing** the label, go to page 21.

	Home	Create	External Da	ata Database	Tools H	ielp 🖇	⊃ Tell me	what you wan	nt to do		
~		Paste	X Cut E Copy ≪ Format	Painter	Z↓ Asce Z↓ Desc 2 Reme	nding 👂 ending 🔽 ove Sort 🔊	Selection	Refresh All •	🔄 New 🗑 Save 🗙 Delete	∑ Totals ^{abc} Spelling ✓ ₩ More ~	Find
do	Views		Clipboard	۲ <u>م</u>	2	5ort & Filter			Record	ds	
	TT3 Stock N	:06 – Т Number <mark>ПТ</mark>	ail Tag	- 8 Lines		l	.ookup	~			
•	ltem	Number		(required)				Large Opt	Print tion		
		Line 1		Line 5			Print Qty		_		
		Line 2 🛛		Line 6							
		Line 3 🛛		Line 7				DRINT	1		
		Line 4 🛛		Line 8			_	T THIN I			
	Impor Add I Bacl	t Excel Da Item D c-up / Exp	ata Fix relete Item port Data	Print Sum	mary Tags	Item Su	nmary Repo	rt	Main Menu P		

NOTE on Data Entry: On label formats with a barcode, the item number is the field that will print as both a barcode and text. On these formats, the item number also serves as the lookup number- the value used to recall label information at printing time. On non-barcode formats, the lookup value is entered in the lookup field on the left of the label entry screen, above fields 1-4. This value is used to recall the label's information and will not print on the label unless it is also entered in one of the other lines on the screen.

Printing Labels

Once label information has been entered, it can be printed immediately, or recalled later and printed on demand.

To Print Immediately:

- 1. After entering the label information, click in the **Print Qty** Field
- 2. Enter the number of labels to print
- 3. Click the **PRINT** button
- 4. To print additional labels, click the **PRINT** button again

To Print from Previously Saved Information:

- 1. From the Main Menu, select the label format desired, and the Format Screen will display
- 2. Click the small drop-down arrow in the **Lookup Box** located in the upper right corner of the Screen to display a list of the lookup/item number values entered
- 3. With the mouse, or using the up and down arrow keys on the keyboard, select the label that you wish to print
- 4. When selected, the values entered will automatically fill in the fields on the screen
- 5. Click inside the **Print Qty** field, and enter the number of labels you wish to print
- 6. Click the **PRINT** button with the mouse to print the labels selected
- 7. To print additional labels, enter the **Print Qty** and click the **PRINT** button again
- 8. To print a different set of labels, repeat steps 2-6
- 9. To return to the Main Menu, click the Exit Door (Main Menu) in the lower right corner of the screen

Print Summary Tags

Datatagger for Windows contains a special feature that allows you to automatically print one of every label entered without having to select values from the Lookup Box.

- 1. From the Main Menu, select the label format desired, and the Format Screen will display.
- 2. Click the **Print Summary Tags** button one of every label entered will automatically print.
- 3. To repeat the process, click the Print Summary Tags Button again
- 4. To return to the Main Menu, click the Exit Door button

Item Summary Report

The Item Summary Report displays a report of all the label information entered for the selected label format. This report can be printed on a regular laser or ink-jet printer.

- 1. From the Main Menu, select the label format desired, and the Format Screen will display.
- 2. Click the Item Summary Report button to display the Item report on screen.

🖉 Micro	soft Access - [TT	340]					_ 🗆 🔀
] 🖪 Eile	<u>E</u> dit <u>V</u> iew <u>T</u> ools <u>V</u>	<u>V</u> indow <u>H</u> elp					_ 8 ×
🗹 + 🗲	» 🔎 🗉 🖽] 100% ▼ <u>⊂</u> lose	🗶 т 💼 ዀ т 😰	•			
							_
	TT340 Item	n Summary					
	ltem Number	Description 1	Description 2	Description 3	Description 4	Label Stock	
	5698	Men's Ring	Gold	\$1257.00	Exclusive	TT340	
	5699	Necklace	Diamond	\$4050.00	Special	TT340	
	5700	Earrings	Diamond	\$3200.00	Special	TT340	
Dage:							
Ready						NUM	

3. To print the report on a laser printer, click the File Menu at the top of the screen and select Print.

4. When finished, click the **File Menu** and select **Close** to return to the Label Format Screen.

The Large Print Option (where available)

To use the large print option:

- 1. From the Main Menu, select the label format desired
- 2. Click the Large Print Option button on the right side of the screen (refer to page 12 for button location)

NOTE: The large print option is currently available on the TT306 and TT345.

ile	Home	Create	External Data	Database T	ools H	elp		you wan	t to do			
오~ 근~ Undo	View Views	Paste	 ↓ Cut ↓ Copy ◆ Format Paint Clipboard 	er Filter	A Scer A Desce A Remo	nding ending ove Sort ort & Filt	✓ Selection ~ ✓ Advanced ~ ✓ Toggle Filter er	Refresh All ~	Records	∑ Totals ^{abc} Spelling Ⅲ More ~	Find	Go To ∽ Go To ∽ Select ∽
	TT: Stock	306 – T Number TT :	ail Tag - 6	Lines			Lookup	~				
	Item Number (required) Line 1 Line 4 Line 2 Line 5 Line 3 Line 6						Print Qty	PRINT	 			
•	Import Excel Data Add Item Delete Item Back-up / Export Data Print Summary Tags						Summary Report					

NOTE: Refer to the previous page for instructions on entering label information.

Using Excel Import Feature

With Datatagger for Windows you can import your label data from a Microsoft Excel spreadsheet. However, there are several guidelines that **must** be followed to import the data properly:

• Excel spreadsheets **must** have the exact number of columns as fields on the label format, including the Lookup/Item Number

Ex: TT306 with Barcode format has 1 Item Number field and 4 Description fields, for a total of 5 fields. So, your spreadsheet would need to have 5 columns.

- The 1st column of your spreadsheet will always be the Lookup/Item Number field on your label and this column **must** contain all unique (no duplicate) values.
- The number of characters (including spaces) in each individual cell on your spreadsheet should not exceed the maximum field length for the label format you are using. **NOTE:** All extra characters will be cut off and will not be printed. See Appendix A for the maximum field lengths for each label style.
- You must create the following directory on your computer: C:\DatatagXL
- All Excel spreadsheets **must** be saved in the **C:\DatatagXL** directory
- Spreadsheets must be saved in Comma Separated Values (.CSV) text format
- Your spreadsheet **must** be named for the label format where you wish to import that data.

Ex: If you are using the TT306 Text Only format, your spreadsheet must be named 306T.CSV **Ex:** If you are using the TT345 with Barcode format, your spreadsheet must be named 345B.CSV

NOTE: Templates for the Microsoft Excel spreadsheets have been included on your Datatagger for Windows Installation Disk.

After you have met **all** the guidelines mentioned on the previous page, follow the steps below to import your data.

- 1. From the Main Menu, select your label format
- 2. Click Import Excel Data to transfer the information from your spreadsheet into Datatagger

	Home	Create	External Data	Database T	ools Help	Q	Tell me wha	at you want	t to do		
~		Paste V	X Cut [∎ Copy ≪ Format Pair	Filter	$\begin{array}{c} A \\ Z \\ A \end{array}$ Ascending $\begin{array}{c} A \\ A \\ A \end{array}$ Descendin $\begin{array}{c} A \\ Z \\ A \end{array}$ Remove S	9 7 5 ng 7 4 ort 7 1	election ~ Advanced ~ Toggle Filter	Refresh All ~	□ New □ Save × Delete ×	∑ Totals ^{abc} Spelling ∰ More ~	Find
do	Views		Clipboard	Г	Sort &	Filter			Records		
	TT3 Stock 1	306 – Т а Number П а	ail Tag - 8 06	3 Lines		Look	up	~	<	_	
•	lten	n Number		(required)				Large Opti	Print ion		
		Line 1		Line 5		- Pri	nt Qtv		-		
		Line 2		Line 6							
		Line 3		Line 7				DDINT	1		
		Line 4		Line 8				EDINI			
	Impor Add Bac	t Excel Da Item D k-up / Exp	ta Fix elete Item ort Data	Print Summ	ary Tags Ite	em Summ≀	ary Report		Main Menu		

- 3. A window will appear telling you that Datatagger finished importing Excel data, click **OK**
- 4. You must now exit your label format, click the Main Menu button to do so
- 5. Once again, click the button for your label format.
- 6. You can now view and print each of your records by selecting the corresponding unique value from the **Lookup Drop-Down List**.

IMPORT ERROR FIX: If you get an error message when attempting to import your data, it is possible that the Excel spreadsheet you are trying to import is either formatted or named incorrectly (see guidelines on previous page). If this occurs, click the "FIX" button directly to the right of the Import Excel Data button (**Datatagger version 14** and above), double check your Excel spreadsheet and try the import again.

If you are having difficulty importing your data, make sure you have met **all** the guidelines previously mentioned then contact Arch Crown Technical Support at 800-526-8353, between 9 a.m. and 5 p.m., M-F, Eastern Standard Time.

Troubleshooting and Technical Support

Most common problems can be solved before calling Technical Support by referring to this section.

- Q: My Printer was working great, but I unplugged the USB cable from the PC. Now that I've plugged it back in, the Printer is not responding or printing tags.
- A: When installing the printer and software, the computer "binds" the printer to the specific USB port that it is plugged into. If it is ever necessary to unplug the USB cable from the PC (moving, cleaning, etc), it is **VERY IMPORTANT** to *turn the printer power off*, and *note the particular port and location*, and plug the cable back into the same place. If the printer does not print after plugging the cable back in, try another USB port(s) on the PC until the printer resumes printing.
- Q: When I click Print, one label prints, the printer skips a few labels, and then the rest of my labels come out fine.
- A: This is NORMAL. When the printer is first turned on, it must sense the height of the labels. This happens automatically the first time that you print after turning the power on, by feeding a few extra labels. This can be avoided by pressing the **FEED** button on top of the printer once the Green Power Light is on by itself.
- Q: When I click on the Print button, I get a message stating that "This document was previously formatting for the Printer Datamax E-4205A Mark III", which is not available. <u>OR</u>
 When I click on the Print button, the Green (left side) light on top of the Printer blinks, but then nothing else happens.
- A: The Datamax Printer Driver required to print on your label printer is not installed. Refer back to the Printer Installation section at the beginning of this manual to install the correct driver. After installation of the driver, re-install the software.
- Q: When I click on the Print button, a page comes out of my regular printer, but nothing happens on the Label printer
- A: Make sure that the correct cable is connected to your label printer and that the Datamax Printer Driver is installed.
- Q: The printer started to print a label, but now the Red (right side) light on top of the printer is on, and nothing prints.
- A: The Fault light means that there is a problem with the way that the labels and/or ribbon are loaded in the printer. Make sure a roll of labels and a roll of black ribbon (film) is loaded in the printer, and that the ribbon is traveling around the correct path in the printer mechanism. For assistance loading labels and ribbon, review the instructions and photos at http://archcrown.com/support/LoadingDatamaxMarkIIIPrinter.pdf.
- Q: When the printer prints, the correct number of labels comes out the printer, the Fault light is <u>not</u> on, but the labels come out blank.
- A: The ribbon is loaded with the wrong side facing the labels. Only the inner surface of the black ribbon actually contains "ink". The ribbon must be loaded so that this surface faces the labels. One way to test this is to stick a piece of Scotch tape to the surface of the ribbon that faces the labels, and then peel the tape off. If the tape comes away with black on it, then the ribbon is loaded correctly. If the tape comes away clean, then the wrong surface of the ribbon is facing the labels and the ribbon should be reversed.
- Q: The Printer prints, but nothing prints on the left edge of the labels. The first couple of characters is missing from each line.
- A: This happens when the roll of ribbon is not pushed all the way to the left when loading. Make sure that the ribbon is pressed all the way to the left until it will not go any farther. The left end of the ribbon/core needs to touch the flat part of the green wheel.

- Q: When I click on the Print button, I get an error message on the screen that says the "Action cannot be completed..."
- A: This usually happens when you enter a number in the Item Number field that you have previously entered for another item. Change the Item Number to a unique value and try to print again.
- Q: Windows did an update, and now when I click Print, several labels print out with strange looking codes on them.
- A: The Windows update changed the "Passthrough" setting in the printer driver. Refer to the instructions on Page 5 in this manual, and follow steps 11-14 to correct the setting.

If you still have difficulty with the system after consulting the above, please call Arch Crown Technical Support at 800-526-8353, between 9 a.m. and 5 p.m., M-F, Eastern Standard Time.

Formats	with	Barcode
----------------	------	---------

Label	Barcode	Desc. 1	Desc. 2	Desc. 3	Desc. 4	Desc. 5	Desc. 6	Desc. 7	Desc. 8
TT 302	8	12	12	12	-	-	-	-	-
TT 305	8	12	12	12	-	-	-	-	-
TT 306	7	12	12	12	12	-	-	-	-
TT 307	11*	15	15	15	12	-	-	-	-
TT 313	11*	20	20	20	20	-	-	-	-
TT 315	8	15	15	-	-	-	-	-	-
TT 316	11*	12	12	12	12	-	-	-	-
TT 317	12	25	25	-	-	-	-	-	-
TT 340	6	12	12	12	12	-	-	-	-
TT 344	7	15	15	15	15	-	-	-	-
TT 345	8	12	12	12	12	-	-	-	-
TT 348	10	20	20	20	20	20	-	-	-
TT 359	6	12	12	12	12	-	-	-	-
TT 360	6	12	12	12	12	-	-	-	-
TT 361	6	12	12	12	12	12	12	12	12
TT 364	11*	15	15	15	15	-	-	-	-
TT 366	6	12	12	12	-	-	-	-	-
TT 367/68	11*	15	15	15	-	-	-	-	-
TT 370	6	12	12	12	12	-	-	-	-
TT 2010	11*	30	30	30	30	_	-	-	-

* Prints a UPC barcode, the field must contain exactly 11 digits

Formats with Text Only

Label	Look-	Line	Line	Line	Line	Line 5	Line	Line 7	Line		Line	Line	Line
TT 302	12	12	12	12	12	12	12	12	0 12	,	10	11	12
TT 305	12	12	12	12	12	12	12	12	12	_	_	_	
TT 306	12	12	12	12	12	12	12	12	12		_	_	
TT 307	12	12	12	12	12	12	12	12	12	_	_	_	
TT 313	12	20	20	20	20	20	20	20	20	_	_	_	_
TT 314	12	12	12	12	-	-	-	-	-	_	_	_	_
TT 315	12	15	15	15	15	_	_	-	-	_	_	_	-
TT 316	12	12	12	12	12	12	12	12	12	-	-	-	-
TT 317	12	25	25	25	25	25	-	-	-	-	-	-	-
TT 319	12	26	-	-	-	-	-	-	-	-	-	-	-
TT 324	12	26	26	-	-	-	-	-	-	-	-	-	-
TT 340	12	12	12	12	12	12	12	12	12	-	-	-	-
TT 344	12	15	15	15	15	15	15	15	15	-	-	-	-
TT 345	12	12	12	12	12	12	12	12	12	-	-	-	-
TT 348	12	20	20	20	20	20	20	20	20	20	20	-	-
TT 359	12	12	12	12	12	12	12	12	12	-	-	-	-
TT 360	12	12	12	12	12	12	12	12	12	-	-	-	-
TT 361	12	12	12	12	12	12	12	15	15	15	12	12	12
TT 364	12	15	15	15	15	15	15	15	15	-	-	-	-
TT 366	12	12	12	12	12	12	12	-	-	-	-	-	-
TT 367/68	12	15	15	15	15	15	15	15	15	-	-	-	-
TT 370	12	12	12	12	12	12	12	12	12	-	-	-	-
TT 385	12	12	12	12	12	-	-	-	-	-	-	-	-
TT 2010	12	30	30	30	30	30	30	-	-	-	-	-	-